



ANIMAL NUTRITION
AQUACULTURE
VETERINARY MEDICINE
MANUFACTURING



Website:
thanvuong.com



Facebook

COMPANY PROFILE

THAN VUONG CO., LTD

ZEUS COMPANY LIMITED · Animal health and aquaculture

Than Vuong develops and manufactures products for aquaculture: probiotics for pond water and gut health, vitamin and mineral supplements, hepatopancreas care and pond disinfection. Production takes place at our GMP-WHO factory in Hai Son Expanded Industrial Park, Tay Ninh Province, Vietnam, with technical support from field engineers.

GMP-WHO

certified factory

HACCP

food safety system

TCCS · Reg. no.

shown on every data sheet



PRODUCT RANGE

11 PRODUCTS · 6 GROUPS

POND WATER & BOTTOM

SOILMAX

Probiotic

p. 3

MAX4000

Probiotic for pond water and bottom mud

p. 5

GUT HEALTH

PRO GUT

Live probiotic bacteria and yeast

p. 7

BIO MAX

Yeast-based feed supplement

p. 9

VITAMINS & PREMIX

CANFORTA

Highly absorbable B-vitamin supplement

p. 11

VIMIX

Vitamin, amino acid and mineral premix

p. 13

MINERALS

QUICKSHELL GOLD

Minerals and methionine

p. 15

GROWMIN

Magnesium and calcium on a zeolite carrier

p. 21

CELL CANPHOS GOLD

Fast-absorbed minerals

p. 23

HEPATOPANCREAS CARE

HERB GUARD

Plant-derived sorbitol

p. 17

POND WATER DISINFECTION

AQUA DINE

Organic iodine for pond water disinfection

p. 19

EXPORT ENQUIRIES

PARTNER WITH US

Pricing, MOQ and distribution terms are available on request via WhatsApp or thanvuong.com.

Product information in this catalogue follows the labels registered in Vietnam (TCCS standard and registration number on each data sheet). Registration status and permitted claims differ between countries; importers must confirm local requirements before sale.

THAN VUONG CO., LTD

ZEUS COMPANY LIMITED

HEAD OFFICE	No. 91, Street 55, Tan Tao Ward, Ho Chi Minh City, Vietnam
FACTORY	Lot Q23, Road No. 11, Hai Son Expanded Industrial Park (Phase 3+4), Duc Hoa Commune, Tay Ninh Province, Vietnam
TEL	+84 28 6268 2472
HOTLINE	+84 867 957 568
WHATSAPP	+84 919 849 568
WEB	thanvuong.com

AQUACULTURE · POND WATER & BOTTOM

SOILMAX NEW

Probiotic for pond water and bottom in intensive shrimp culture

Bacillus subtilis and *Bacillus licheniformis* decompose organic matter and leftover feed, help absorb NH_3 and support nitrification so less NO_2 builds up in the water.



FORM

Powder

PACK

227 g bag

STRAINS

2 *Bacillus*

WHY SOILMAX

FOUR REASONS FARMERS CHOOSE IT



BALANCED WATER QUALITY

Helps absorb NH_3 , speeds up nitrification and limits NO_2 formation.



STABLE BENEFICIAL MICROBES

Builds a high, stable population of beneficial bacteria that break down organic waste and leftover feed.



RESTART AFTER ALGAE CRASH

Helps stabilise the pond quickly and start a new cycle when algae collapse.



RECOVERY OF HEAVY WATER

Helps restore ponds with algal blooms, red or dark water and high water viscosity.

REGISTERED
IN VIETNAM

PACKAGING
227 g bag

STANDARD
TCCS 07:2019/TV

REG. NO. (VIETNAM)
02006122

WITHDRAWAL
0 days

COMPOSITION		PER 1 KG
INGREDIENT	CONTENT	
<i>Bacillus subtilis</i>	min 1.0 × 10 ¹⁰ CFU	
<i>Bacillus licheniformis</i>	min 0.5 × 10 ¹⁰ CFU	
Moisture	max 10%	
Carrier (CaCO ₃)	q.s. 1 kg	

SPECIFICATIONS		PACK DATA
Form	Powder	
Packaging	227 g bag	
Standard	TCCS 07:2019/TV	
Reg. no. (Vietnam)	02006122	
Withdrawal	0 days	

DIRECTIONS FOR USE

1 PACK = 227 G

APPLICATION	DOSAGE	NOTES
ROUTINE USE	1 pack per 2,000 – 2,500 m ³ water	Repeat every 3 – 5 days
HEAVY ORGANIC LOAD algal bloom, red or dark water, viscous water	1 pack per 1,000 m ³ water	2 – 3 consecutive days

APPLICATION TIPS

FOR BEST RESULTS

TIP 1 

BREW OR APPLY DIRECTLY

Aerate the pack with biomass nutrient, sugar or molasses in about 20 L of water for 2 hours; or dilute in 30 L of water and spread directly over the pond.

TIP 2 

BEST TIME TO APPLY

9 – 10 am with all aerators running. To thin algae, apply at 11 pm on two consecutive nights.

TIP 3 

HEAVY ALGAE

For heavy blue-green or red algae, SOILMAX can be combined with OZYME for a faster result.

TIP 4 

ADJUST THE DOSE

Adjust the dose to actual pond conditions, stocking density and shrimp health.

EXPORT ENQUIRIES

PARTNER WITH US TO BRING SOILMAX TO YOUR MARKET

Pricing, MOQ and distribution terms are available on request via WhatsApp or thanvuong.com.

Information on this sheet follows the product label registered in Vietnam. Registration status and permitted claims differ between countries; importers must confirm local requirements before sale. Use as directed on the label.

THAN VUONG CO., LTD ZEUS COMPANY LIMITED

HEAD OFFICE	No. 91, Street 55, Tan Tao Ward, Ho Chi Minh City, Vietnam
FACTORY	Lot Q23, Road No. 11, Hai Son Expanded Industrial Park (Phase 3+4), Duc Hoa Commune, Tay Ninh Province, Vietnam
TEL	+84 28 6268 2472
HOTLINE	+84 867 957 568
WHATSAPP	+84 919 849 568
WEB	thanvuong.com

AQUACULTURE · POND BOTTOM CARE

MAX4000

Probiotic for pond water and bottom mud

Bacillus subtilis and *Pediococcus acidilactici* break down accumulated organic matter and sludge, helping reduce the build-up of toxic NH_3 and NO_2 in the water and bottom mud.



FORM

Powder

PACK

250 g foil pouch

STRAINS

2 probiotic

WHY MAX4000

FOUR REASONS FARMERS CHOOSE IT



BREAKS DOWN ORGANIC SLUDGE

Decomposes accumulated organic matter and sludge, reducing build-up of toxic NH_3 and NO_2 .



CONVERTS NITROGEN COMPOUNDS

Supports conversion of nitrogen compounds, keeping water quality stable in intensive, high-density culture.



STABILISES POND MICROBES

Limits toxic gas build-up caused by excess feed and organic waste.



BETTER WATER & BOTTOM MUD

Improves water and bottom-mud quality, creating a favourable environment for farmed animals.

REGISTERED
IN VIETNAM

PACKAGING

250 g foil pouch, zip seal

STANDARD

TCCS 04:2020/TV

REG. NO. (VIETNAM)

02020697

COMPOSITION	MIN. CONTENT PER 1 KG
INGREDIENT	CONTENT
<i>Bacillus subtilis</i>	0.5 × 10¹⁰ CFU
<i>Pediococcus acidilactici</i>	0.5 × 10¹⁰ CFU

SPECIFICATIONS	PACK DATA
Form	Powder
Packaging	250 g foil pouch, zip seal
Carton	20 pouches
Standard	TCCS 04:2020/TV
Reg. no. (Vietnam)	02020697

DIRECTIONS FOR USE

1 PACK = 250 G

APPLICATION	DOSAGE	NOTES
BEFORE STOCKING	1 pack per 2,000 – 3,000 m ³ water	2 – 3 days before stocking
NURSERY STAGE	1 pack per 2,000 – 3,000 m ³ water	Daily
DURING CULTURE	1 pack per 3,000 – 4,000 m ³ water	Every 3 – 5 days

APPLICATION TIPS

FOR BEST RESULTS

TIP 1

BREW BEFORE USE

Aerate the pack with biomass nutrient, sugar or molasses in about 20 L of water for 2 – 4 hours; or dilute directly in 30 L of water and spread over the pond.

TIP 2

BEST TIME TO APPLY

10 – 11 am. To control green, blue-green or red algae: 9 – 10 pm, with all paddlewheels running.

TIP 3

ADJUST TO THE POND

Adjust the dose to the pond's condition. Can be alternated with SOILMAX or BACWAT.

TIP 4

STORE SEALED

Seal and zip the bag right after use if the product is not finished.

EXPORT ENQUIRIES

PARTNER WITH US TO BRING MAX4000 TO YOUR MARKET

Pricing, MOQ and distribution terms are available on request via WhatsApp or thanvuong.com.

Information on this sheet follows the product label registered in Vietnam. Registration status and permitted claims differ between countries; importers must confirm local requirements before sale. Use as directed on the label.

THAN VUONG CO., LTD ZEUS COMPANY LIMITED

HEAD OFFICE	No. 91, Street 55, Tan Tao Ward, Ho Chi Minh City, Vietnam
FACTORY	Lot Q23, Road No. 11, Hai Son Expanded Industrial Park (Phase 3+4), Duc Hoa Commune, Tay Ninh Province, Vietnam
TEL	+84 28 6268 2472
HOTLINE	+84 867 957 568
WHATSAPP	+84 919 849 568
WEB	thanvuong.com

AQUACULTURE · GUT HEALTH

PRO GUT

Live probiotic bacteria and yeast for shrimp gut health

Pediococcus acidilactici and *Saccharomyces cerevisiae* help stabilise and balance the shrimp gut microbiota, supporting efficient digestion and feed absorption.



FORM

Powder

PACK

500 g pouch

STRAINS

2 live strains

WHY PRO GUT

FOUR BENEFITS FOR SHRIMP



BALANCED GUT MICROBIOTA

Live probiotic bacteria and yeast help stabilise and balance the gut microbiota.



DIGESTION & ABSORPTION

Supports efficient digestion and absorption of nutrients from feed.



STEADY GUT UNDER PRESSURE

Helps reduce the risk of digestive upsets in intensive, high-density culture or when the environment changes.



NATURAL RESISTANCE

Supports the shrimp's natural immunity and resistance for steady growth.

REGISTERED
IN VIETNAM

PACKAGING

500 g pouch

STANDARD

TCCS 85:2019/TV

REG. NO. (VIETNAM)

01004160

COMPOSITION		PER 1 KG
INGREDIENT	CONTENT	
<i>Pediococcus acidilactici</i>	min 2.0 × 10 ¹⁰ CFU	
<i>Saccharomyces cerevisiae</i>	min 2.0 × 10 ⁸ CFU	
Moisture	max 10%	
Carrier (CaCO ₃)	q.s. 1 kg	

SPECIFICATIONS		PACK DATA
Form	Powder	
Packaging	500 g pouch	
Carton	24 pouches	
Standard	TCCS 85:2019/TV	
Reg. no. (Vietnam)	01004160	

DIRECTIONS FOR USE

DOSE PER KG OF FEED

APPLICATION	DOSAGE	NOTES
DURING CULTURE	Mix into feed 2 – 3 g per kg feed	1 meal a day, every 2 – 3 days
GUT PROBLEMS AND RECOVERY floating or white feces	Mix into feed 4 – 5 g per kg feed	1 – 2 meals a day until shrimp recover

APPLICATION TIPS

FOR BEST RESULTS

TIP 1 MIX INTO FEED Dilute in just enough clean water, mix evenly into the feed, coat with ATOMIC or a suitable binder and let dry for 20 minutes before feeding.	TIP 2 ADJUST THE DOSE Adjust the dose to actual pond conditions, stocking density and shrimp health.	TIP 3 STORE SEALED Seal and zip the bag right after use if the product is not finished.
--	---	--

EXPORT ENQUIRIES

PARTNER WITH US TO BRING PRO GUT TO YOUR MARKET

Pricing, MOQ and distribution terms are available on request via WhatsApp or thanvuong.com.

Information on this sheet follows the product label registered in Vietnam. Registration status and permitted claims differ between countries; importers must confirm local requirements before sale. Use as directed on the label.

THAN VUONG CO., LTD ZEUS COMPANY LIMITED

HEAD OFFICE	No. 91, Street 55, Tan Tao Ward, Ho Chi Minh City, Vietnam
FACTORY	Lot Q23, Road No. 11, Hai Son Expanded Industrial Park (Phase 3+4), Duc Hoa Commune, Tay Ninh Province, Vietnam
TEL	+84 28 6268 2472
HOTLINE	+84 867 957 568
WHATSAPP	+84 919 849 568
WEB	thanvuong.com

AQUACULTURE · GUT HEALTH

BIO MAX

Yeast-based feed supplement for shrimp gut health

Saccharomyces cerevisiae mixed into feed supports a healthy gut lining, beneficial gut microbes and better nutrient absorption in shrimp.



FORM

Powder

PACK

500 g pouch

YEAST

S. cerevisiae

WHY BIO MAX

FOUR BENEFITS FOR SHRIMP



NATURAL RESISTANCE

Stimulates immune cell formation to support the shrimp's resistance.



BENEFICIAL GUT MICROBES

Promotes beneficial microbes in the digestive tract.



GUT WALL INTEGRITY

Helps protect the tight junctions of the gut wall and keep it intact, reducing floating feces.



BETTER ABSORPTION

Supports longer intestinal villi for better nutrient absorption.

REGISTERED
IN VIETNAM

PACKAGING

500 g pouch

STANDARD

TCCS 01:2023/TV

REG. NO. (VIETNAM)

01040127

WITHDRAWAL

0 days

COMPOSITION		PER 1 KG
INGREDIENT	CONTENT	
<i>Saccharomyces cerevisiae</i>	min 1.0 × 10 ⁷ CFU	
Moisture	max 10%	
Carrier (dextrose, lactic acid)	q.s. 1 kg	

SPECIFICATIONS		PACK DATA
Form	Powder	
Packaging	500 g pouch	
Standard	TCCS 01:2023/TV	
Reg. no. (Vietnam)	01040127	
Withdrawal	0 days	

DIRECTIONS FOR USE

DOSE PER KG OF FEED

APPLICATION	DOSAGE	NOTES
SHRIMP 7 – 30 DAYS	Mix into feed 5 g per kg feed	1 – 2 times a day
SHRIMP OVER 30 DAYS	Mix into feed 7 – 10 g per kg feed	1 – 2 times a day
GUT PROBLEMS loose, broken, floating or white feces	Mix into feed 10 g per kg feed	Continuously until shrimp are stable
RECOVERY PERIOD	Mix into feed 5 g per kg feed	Continuously until shrimp are stable

APPLICATION TIPS

FOR BEST RESULTS

TIP 1 MIX INTO FEED Dilute in just enough clean water, mix evenly into the feed, coat with ATOMIC or a suitable binder and let dry for 20 minutes before feeding.	TIP 2 ADJUST THE DOSE Adjust the dose to actual pond conditions, stocking density and shrimp health.	TIP 3 STORE SEALED Seal and zip the bag right after use if the product is not finished.
--	---	--

EXPORT ENQUIRIES

PARTNER WITH US TO BRING BIO MAX TO YOUR MARKET

Pricing, MOQ and distribution terms are available on request via WhatsApp or thanvuong.com.

Information on this sheet follows the product label registered in Vietnam. Registration status and permitted claims differ between countries; importers must confirm local requirements before sale. Use as directed on the label.

THAN VUONG CO., LTD ZEUS COMPANY LIMITED

HEAD OFFICE	No. 91, Street 55, Tan Tao Ward, Ho Chi Minh City, Vietnam
FACTORY	Lot Q23, Road No. 11, Hai Son Expanded Industrial Park (Phase 3+4), Duc Hoa Commune, Tay Ninh Province, Vietnam
TEL	+84 28 6268 2472
HOTLINE	+84 867 957 568
WHATSAPP	+84 919 849 568
WEB	thanvuong.com

AQUACULTURE · VITAMIN SUPPLEMENT

CANFORTA

Highly absorbable B-vitamin supplement for shrimp

Vitamin B1, vitamin B6 and nicotinamide in an easy-to-absorb liquid, mixed into feed to help shrimp eat well and grow faster.

FORM

Liquid

PACK

1 kg bottle

VITAMINS

B1 · B6 · B3



B1

B6

WHY CANFORTA

FOUR REASONS FARMERS CHOOSE IT



APPETITE & GROWTH

Highly absorbable vitamins help shrimp eat well and grow faster.



ENERGY WHEN SHRIMP ARE WEAK

Provides energy support when shrimp feed poorly or moult with difficulty.



STRESS TOLERANCE

Helps shrimp cope with stress from high stocking density or harsh weather.



PROTEIN METABOLISM

Takes part in protein metabolism, improving feed utilisation during culture.

REGISTERED
IN VIETNAM

PACKAGING

1 kg bottle

STANDARD

TCCS 63:2019/TV

REG. NO. (VIETNAM)

01001068

COMPOSITION	PER 1 L
INGREDIENT	CONTENT
Vitamin B1	min 400 mg
Vitamin B6	min 1,000 mg
Nicotinamide	min 5,000 mg
Solvent (distilled water)	q.s. 1 L

SPECIFICATIONS	PACK DATA
Form	Liquid
Packaging	1 kg bottle
Carton	12 bottles
Standard	TCCS 63:2019/TV
Reg. no. (Vietnam)	01001068

DIRECTIONS FOR USE

DOSE PER KG OF FEED

APPLICATION	DOSAGE	NOTES
DURING CULTURE	Mix into feed 3 – 5 ml per kg feed	1 – 2 times a day
WEAK SHRIMP, LOOSE SHELLS	Mix into feed 5 – 7 ml per kg feed	1 – 2 times a day for 3 – 5 days
FASTER WEIGHT GAIN	Mix into feed 7 – 10 ml per kg feed	1 – 2 times a day

APPLICATION TIPS

FOR BEST RESULTS

TIP 1 MIX INTO FEED Dilute in just enough clean water, mix evenly into the feed, coat with ATOMIC or a suitable binder and let dry for 20 minutes before feeding.	TIP 2 SHAKE WELL Shake the bottle well before use.	TIP 3 STORE SEALED Close the bottle or can tightly after use if the product is not finished.
--	---	---

EXPORT ENQUIRIES

PARTNER WITH US TO BRING CANFORTA TO YOUR MARKET

Pricing, MOQ and distribution terms are available on request via WhatsApp or thanvuong.com.

Information on this sheet follows the product label registered in Vietnam. Registration status and permitted claims differ between countries; importers must confirm local requirements before sale. Use as directed on the label.

THAN VUONG CO., LTD ZEUS COMPANY LIMITED

HEAD OFFICE	No. 91, Street 55, Tan Tao Ward, Ho Chi Minh City, Vietnam
FACTORY	Lot Q23, Road No. 11, Hai Son Expanded Industrial Park (Phase 3+4), Duc Hoa Commune, Tay Ninh Province, Vietnam
TEL	+84 28 6268 2472
HOTLINE	+84 867 957 568
WHATSAPP	+84 919 849 568
WEB	thanvuong.com

AQUACULTURE · VITAMIN & MINERAL PREMIX

VIMIX

Vitamin, amino acid and mineral premix for shrimp

15 vitamins, 4 essential amino acids and chelated trace minerals in one feed premix to cover the micronutrient needs of shrimp from stocking to harvest.



FORM

Powder

PACK

1 kg · 25 kg

VITAMINS

15 types

WHY VIMIX

FOUR REASONS FARMERS CHOOSE IT



COMPLETE MICRONUTRIENTS

Supplies the vitamins and minerals shrimp need for normal growth.



STRESSFUL PERIODS

Supports shrimp through stressful periods such as weather changes, transfers and water treatment.



ESSENTIAL AMINO ACIDS

L-lysine, DL-methionine, L-threonine and L-tryptophan support tissue building and recovery.



HEPATOPANCREAS SUPPORT

B-group vitamins, choline and inositol support normal hepatopancreas function.

REGISTERED
IN VIETNAM

PACKAGING

1 kg bag · 25 kg drum

STANDARD

TCCS 23:2024/TV

REG. NO. (VIETNAM)

01052714

WITHDRAWAL

0 days

COMPOSITION		MIN. CONTENT PER 1 KG	
Vitamin A	300,000 IU	Inositol	3,200 mg
Vitamin D3	80,000 IU	Choline chloride	3,000 mg
Vitamin E	300 mg	L-Threonine	7,000 mg
Vitamin C	3,000 mg	L-Lysine	5,000 mg
Vitamin B1	200 mg	DL-Methionine	5,000 mg
Vitamin B2	80 mg	L-Tryptophan	4,000 mg
Vitamin B3	500 mg	Cu (from Cu glycinate chelate)	1,400 mg
Vitamin B5	800 mg	Zn (from zinc sulfate)	1,360 mg
Vitamin B6	100 mg	Fe (from ferrous glycine chelate)	560 mg
Vitamin B9	10 mg	Mg (from magnesium sulfate)	300 mg
Vitamin B12	0.9 mg	Moisture	max 10%
Vitamin K3	200 mg	Antioxidant	BHT
D-Biotin	2 mg	Carrier (CaCO ₃)	q.s. 1 kg

SPECIFICATIONS				PACK DATA
FORM	PACKAGING	STANDARD	REG. NO. (VIETNAM)	WITHDRAWAL
Powder	1 kg bag · 25 kg drum	TCCS 23:2024/TV	01052714	0 days

DIRECTIONS FOR USE

DOSE PER KG OF FEED

APPLICATION	DOSAGE	NOTES
DURING CULTURE	Mix into feed 3 – 5 g per kg feed	Continuously from stocking to harvest

APPLICATION TIPS

FOR BEST RESULTS

TIP 1 MIX INTO FEED Dilute in just enough clean water, mix evenly into the feed, coat with ATOMIC or a suitable binder and let dry for 20 minutes before feeding.	TIP 2 ADJUST THE DOSE Adjust the dose to actual pond conditions, stocking density and shrimp health.	TIP 3 STORE SEALED Seal and zip the bag right after use if the product is not finished.
--	---	--

EXPORT ENQUIRIES

PARTNER WITH US TO BRING VIMIX TO YOUR MARKET

Pricing, MOQ and distribution terms are available on request via WhatsApp or thanvuong.com.

Information on this sheet follows the product label registered in Vietnam. Registration status and permitted claims differ between countries; importers must confirm local requirements before sale. Use as directed on the label.

THAN VUONG CO., LTD ZEUS COMPANY LIMITED

HEAD OFFICE	No. 91, Street 55, Tan Tao Ward, Ho Chi Minh City, Vietnam
FACTORY	Lot Q23, Road No. 11, Hai Son Expanded Industrial Park (Phase 3+4), Duc Hoa Commune, Tay Ninh Province, Vietnam
TEL	+84 28 6268 2472
HOTLINE	+84 867 957 568
WHATSAPP	+84 919 849 568
WEB	thanvuong.com

AQUACULTURE · MINERAL SUPPLEMENT

QUICKSHELL GOLD

Minerals and methionine for firm flesh and hard shells

Calcium, copper and magnesium with DL-methionine in liquid form, mixed into feed to support muscle quality, moulting and shell hardening.



FORM

Liquid

PACK

1 L · 5 L

ACTIVES

Ca · Cu · Mg + Met

WHY QUICKSHELL GOLD

FOUR REASONS FARMERS CHOOSE IT



WEIGHT & FIRM FLESH

Essential minerals help shrimp gain weight, firm up and develop good colour.



EVEN MOULTING

Promotes uniform moulting and fast shell hardening after moulting.



OSMOTIC BALANCE

Helps maintain osmotic regulation when the weather turns unfavourable.



LOW-SALINITY PONDS

Supports mineral balance in low-salinity and freshwater culture, helping reduce body curvature and muscle opacity caused by mineral deficiency.

REGISTERED
IN VIETNAM

PACKAGING
1 L · 5 L

STANDARD
TCCS 48:2019/TV

REG. NO. (VIETNAM)
01001063

COMPOSITION		PER 1 L
INGREDIENT	CONTENT	
Ca (from calcium formate)	min 8,500 mg	
Cu (from Cu glycinate)	min 300 mg	
Mg (from MgSO ₄)	min 300 mg	
DL-Methionine	min 40,000 mg	
Preservative	sodium benzoate	
Solvent (distilled water)	q.s. 1 L	

SPECIFICATIONS	PACK DATA
Form	Liquid
Packaging	1 L · 5 L
Standard	TCCS 48:2019/TV
Reg. no. (Vietnam)	01001063

DIRECTIONS FOR USE

DOSE PER KG OF FEED

APPLICATION	DOSAGE	NOTES
DURING CULTURE	Mix into feed 3 – 5 ml per kg feed	1 – 2 times a day
MINERAL DEFICIENCY body curvature, opaque muscle, thin shell	Mix into feed 7 – 10 ml per kg feed	

APPLICATION TIPS

FOR BEST RESULTS

TIP 1 SHAKE WELL Turn the bottle upside down and shake well before use.	TIP 2 MIX INTO FEED Dilute in just enough clean water, mix evenly into the feed, coat with ATOMIC or a suitable binder and let dry for 20 minutes before feeding.	TIP 3 STORE SEALED Close the bottle or can tightly after use if the product is not finished.
--	--	---

EXPORT ENQUIRIES

PARTNER WITH US TO BRING QUICKSHELL GOLD TO YOUR MARKET

Pricing, MOQ and distribution terms are available on request via WhatsApp or thanvuong.com.

Information on this sheet follows the product label registered in Vietnam. Registration status and permitted claims differ between countries; importers must confirm local requirements before sale. Use as directed on the label.

THAN VUONG CO., LTD ZEUS COMPANY LIMITED

HEAD OFFICE	No. 91, Street 55, Tan Tao Ward, Ho Chi Minh City, Vietnam
FACTORY	Lot Q23, Road No. 11, Hai Son Expanded Industrial Park (Phase 3+4), Duc Hoa Commune, Tay Ninh Province, Vietnam
TEL	+84 28 6268 2472
HOTLINE	+84 867 957 568
WHATSAPP	+84 919 849 568
WEB	thanvuong.com

AQUACULTURE · HEPATOPANCREAS CARE

HERB GUARD

Plant-derived sorbitol for shrimp hepatopancreas support

A liquid with plant-derived sorbitol, mixed into feed to support hepatopancreas function and colour during culture.



FORM

Liquid

PACK

1 kg bottle

SORBITOL

230 g per L

WHY HERB GUARD

FOUR BENEFITS FOR SHRIMP



HEPATOPANCREAS FUNCTION

Supports hepatopancreas function for a healthier liver.



COLOUR & DIGESTION

Helps improve hepatopancreas colour and stimulates bile and digestive enzyme secretion.



STABLE FUNCTION

Helps maintain stable hepatopancreas activity and the shrimp's natural resistance.



ENERGY RESERVES

Helps the hepatopancreas store lipids and energy and use dietary fat efficiently.

REGISTERED
IN VIETNAM

PACKAGING
1 kg bottle

STANDARD
TCCS 01:2019/TV

REG. NO. (VIETNAM)
01000539

COMPOSITION		PER 1 L
INGREDIENT	CONTENT	
Sorbitol (plant-derived)	min 230,000 mg	
Preservative	sodium benzoate	
Solvent (distilled water)	q.s. 1 L	

SPECIFICATIONS	PACK DATA
Form	Liquid
Packaging	1 kg bottle
Carton	12 bottles
Standard	TCCS 01:2019/TV
Reg. no. (Vietnam)	01000539

DIRECTIONS FOR USE

DOSE PER KG OF FEED

APPLICATION	DOSAGE	NOTES
STRENGTHEN & STABILISE	Mix into feed 5 – 7 ml per kg feed	
TOXIN ELIMINATION & COLOUR	Mix into feed 7 – 10 ml per kg feed	
SIGNS OF POOR HEPATOPANCREAS	Reduce feed ≥ 50% 10 – 15 ml per kg feed	Repeat after 1 – 2 days

APPLICATION TIPS

FOR BEST RESULTS

TIP 1 SHAKE WELL Turn the bottle upside down and shake well before use.	TIP 2 MIX INTO FEED Dilute in just enough clean water, mix evenly into the feed, coat with ATOMIC or a suitable binder and let dry for 20 minutes before feeding.	TIP 3 STORE SEALED Close the bottle or can tightly after use if the product is not finished.
--	--	---

EXPORT ENQUIRIES

PARTNER WITH US TO BRING HERB GUARD TO YOUR MARKET

Pricing, MOQ and distribution terms are available on request via WhatsApp or thanvuong.com.

Information on this sheet follows the product label registered in Vietnam. Registration status and permitted claims differ between countries; importers must confirm local requirements before sale. Use as directed on the label.

THAN VUONG CO., LTD ZEUS COMPANY LIMITED

HEAD OFFICE	No. 91, Street 55, Tan Tao Ward, Ho Chi Minh City, Vietnam
FACTORY	Lot Q23, Road No. 11, Hai Son Expanded Industrial Park (Phase 3+4), Duc Hoa Commune, Tay Ninh Province, Vietnam
TEL	+84 28 6268 2472
HOTLINE	+84 867 957 568
WHATSAPP	+84 919 849 568
WEB	thanvuong.com

AQUACULTURE · POND WATER DISINFECTION

AQUA DINE NEW

Organic iodine for pond water disinfection

Povidone iodine 10% for disinfecting shrimp pond water against bacteria and fungi, with low stress on shrimp when used as directed.

FORM

Liquid

PACK

1 kg bottle

ACTIVE

Povidone iodine 10%



WHY AQUA DINE

FOUR REASONS FARMERS CHOOSE IT



POND WATER DISINFECTION

Disinfects pond water against bacteria and fungi.



LOW STRESS

Organic iodine with low stress on shrimp when applied as directed.



GENTLE ON THE POND

Limited effect on algae and the culture environment at the label dose.



SIMPLE ROUTINE

Periodic use every 10 days fits a regular pond hygiene programme.

REGISTERED
IN VIETNAM

PACKAGING
1 kg bottle

STANDARD
TCCS 71:2019/TV

REG. NO. (VIETNAM)
02001904

WITHDRAWAL
5 days before harvest

COMPOSITION	PER 100%
INGREDIENT	CONTENT
Povidone iodine	min 10%
Solvent (distilled water)	q.s. 100%

SPECIFICATIONS	PACK DATA
Form	Liquid
Packaging	1 kg bottle
Carton	12 bottles
Standard	TCCS 71:2019/TV
Reg. no. (Vietnam)	02001904
Withdrawal	5 days before harvest

DIRECTIONS FOR USE

1 BOTTLE = 1 KG

APPLICATION	DOSAGE	NOTES
BACTERIAL OR FUNGAL PROBLEMS in pond water	1 bottle per 1,000 – 1,500 m ³ water	Apply in the evening
ROUTINE DISINFECTION	1 bottle per 2,000 – 2,500 m ³ water	Every 10 days

APPLICATION TIPS

FOR BEST RESULTS

TIP **1**

⌚

APPLY IN THE EVENING

Apply at around 6 pm with aerators and paddlewheels running. Do not apply in strong sunshine.

TIP **2**

🔄

SHAKE WELL

Shake well before use.

TIP **3**

📅

WITHDRAWAL PERIOD

Stop using 5 days before harvest.

TIP **4**

🔒

STORE SEALED

Close the bottle or can tightly after use if the product is not finished.

EXPORT ENQUIRIES

PARTNER WITH US TO BRING AQUA DINE TO YOUR MARKET

Pricing, MOQ and distribution terms are available on request via WhatsApp or thanvuong.com.

Information on this sheet follows the product label registered in Vietnam. Registration status and permitted claims differ between countries; importers must confirm local requirements before sale. Use as directed on the label.

THAN VUONG CO., LTD ZEUS COMPANY LIMITED

HEAD OFFICE	No. 91, Street 55, Tan Tao Ward, Ho Chi Minh City, Vietnam
FACTORY	Lot Q23, Road No. 11, Hai Son Expanded Industrial Park (Phase 3+4), Duc Hoa Commune, Tay Ninh Province, Vietnam
TEL	+84 28 6268 2472
HOTLINE	+84 867 957 568
WHATSAPP	+84 919 849 568
WEB	thanvuong.com

AQUACULTURE · MINERALS & WATER QUALITY

GROWMIN

Magnesium and calcium on a zeolite carrier for pond and feed use

Spread over the pond to steady water quality and support shrimp after disinfection, or mixed into feed throughout the crop.



FORM

Powder

PACK

10 kg bag

MINERALS

Mg · Ca · zeolite

WHY GROWMIN

FOUR REASONS FARMERS CHOOSE IT



SHINY, FIRM SHRIMP

Soluble, easily absorbed minerals help shrimp develop shiny shells, firm flesh and hard exoskeletons.



STABLE ALKALINITY

Helps stabilise alkalinity and reduce pH swings in the pond.



BETTER POND BOTTOM

Helps mineralise earthen pond bottoms, supports algae colour and gives beneficial microbes a porous substrate, reducing H₂S.



MOULTING SUPPORT

Supports moulting and new shell formation, reducing abnormal signs caused by mineral shortage in the pond.

REGISTERED
IN VIETNAM

PACKAGING
10 kg bag

STANDARD
TCCS 03:2019/TV

REG. NO. (VIETNAM)
02000541

COMPOSITION	PER 1 KG
INGREDIENT	CONTENT
Mg (from MgSO ₄)	min 10,000 mg
Ca (from CaCO ₃)	min 20,000 mg
Moisture	max 10%
Carrier (zeolite)	q.s. 1 kg

SPECIFICATIONS	PACK DATA
Form	Powder
Packaging	10 kg bag
Standard	TCCS 03:2019/TV
Reg. no. (Vietnam)	02000541

DIRECTIONS FOR USE

POND OR FEED APPLICATION

APPLICATION	DOSAGE	NOTES
IN WATER · DURING CULTURE	Spread over the pond 1 – 1.5 kg per 1,000 m ³	Every 3 – 5 days
IN FEED · ALL CROP LONG especially when feed ingredients carry a high mycotoxin risk	Mix into feed 5 g per kg feed	Every meal of the day

APPLICATION TIPS

FOR BEST RESULTS

TIP 1 SPREAD EVENLY Dilute in enough water and spread evenly over the whole pond surface with all aerators running.	TIP 2 BEST TIME Best applied at night, before shrimp moult.
TIP 3 ADJUST THE DOSE Adjust the dose to actual pond conditions, stocking density and shrimp health.	TIP 4 STORE SEALED Seal and zip the bag right after use if the product is not finished.

EXPORT ENQUIRIES

PARTNER WITH US TO BRING GROWMIN TO YOUR MARKET

Pricing, MOQ and distribution terms are available on request via WhatsApp or thanvuong.com.

Information on this sheet follows the product label registered in Vietnam. Registration status and permitted claims differ between countries; importers must confirm local requirements before sale. Use as directed on the label.

THAN VUONG CO., LTD ZEUS COMPANY LIMITED

HEAD OFFICE	No. 91, Street 55, Tan Tao Ward, Ho Chi Minh City, Vietnam
FACTORY	Lot Q23, Road No. 11, Hai Son Expanded Industrial Park (Phase 3+4), Duc Hoa Commune, Tay Ninh Province, Vietnam
TEL	+84 28 6268 2472
HOTLINE	+84 867 957 568
WHATSAPP	+84 919 849 568
WEB	thanvuong.com

AQUACULTURE · MINERAL SUPPLEMENT

CELL CANPHOS GOLD

Fast-absorbed minerals for shrimp in lined ponds

Calcium from calcium formate with iron and copper glycine chelates supplies the minerals shrimp need for firm flesh and hard shells.



FORM

Liquid

PACK

5 kg · 30 kg can

MINERALS

Ca · Fe · Cu

WHY CELL CANPHOS GOLD

FOUR REASONS FARMERS CHOOSE IT



FIRM FLESH, HARD SHELL

Supplies essential minerals for firm flesh and hard shells.



EVEN MOULTING

Stimulates uniform moulting and helps avoid soft shells and stuck moults.



OSMOTIC STABILITY

Steadies osmoregulation and reduces stress for healthy growth during culture.



FEED OR POND USE

Can be mixed into feed or applied to the pond, according to the culture stage.

REGISTERED
IN VIETNAM

PACKAGING

5 kg · 30 kg can

STANDARD

TCCS 03:2026/TV

REG. NO. (VIETNAM)

02062371

COMPOSITION		PER 1 L
INGREDIENT	CONTENT	
Ca (from calcium formate)	min 6,000 mg	
Fe (from ferrous glycine chelate)	min 1,000 mg	
Cu (from copper glycine chelate)	min 500 mg	
Preservative	sodium benzoate	
Solvent (distilled water)	q.s. 1 L	

SPECIFICATIONS		PACK DATA
Form	Liquid	
Packaging	5 kg · 30 kg can	
Standard	TCCS 03:2026/TV	
Reg. no. (Vietnam)	02062371	

DIRECTIONS FOR USE

FEED OR POND APPLICATION

APPLICATION	DOSAGE	NOTES
IN FEED · DURING CULTURE	Mix into feed 3 – 5 ml per kg feed	1 – 2 times a day
NURSERY STAGE	Dilute and spread 1 L per 300 m ³	Daily
ROUTINE GROW-OUT	Dilute and spread 1 L per 2,000 m ³	Every 5 days
WEAK FEEDING, SOFT SHELL bent body, opaque muscle	Dilute and spread 1 L per 1,000 – 1,500 m ³	
UNIFORM MOULTING	Dilute and spread 1 L per 1,000 m ³	Fast shell hardening

APPLICATION TIPS

FOR BEST RESULTS

TIP 1 SHAKE WELL Turn the bottle upside down and shake well before use.	TIP 2 MIX INTO FEED Dilute in just enough clean water, mix evenly into the feed, coat with ATOMIC or a suitable binder and let dry for 20 minutes before feeding.	TIP 3 STORE SEALED Close the bottle or can tightly after use if the product is not finished.
--	--	---

EXPORT ENQUIRIES

PARTNER WITH US TO BRING CELL CANPHOS GOLD TO YOUR MARKET

Pricing, MOQ and distribution terms are available on request via WhatsApp or thanvuong.com.

Information on this sheet follows the product label registered in Vietnam. Registration status and permitted claims differ between countries; importers must confirm local requirements before sale. Use as directed on the label.

THAN VUONG CO., LTD ZEUS COMPANY LIMITED

HEAD OFFICE	No. 91, Street 55, Tan Tao Ward, Ho Chi Minh City, Vietnam
FACTORY	Lot Q23, Road No. 11, Hai Son Expanded Industrial Park (Phase 3+4), Duc Hoa Commune, Tay Ninh Province, Vietnam
TEL	+84 28 6268 2472
HOTLINE	+84 867 957 568
WHATSAPP	+84 919 849 568
WEB	thanvuong.com



EXPORT ENQUIRIES

PARTNER WITH THAN VUONG

We supply importers and distributors with probiotics, feed supplements, minerals and pond-care products for shrimp farming.

Pricing, MOQ, product documents and distribution terms are available on request.

GMP-WHO

certified factory

HACCP

food safety system

GMP-WHO FACTORY
HAI SON EXPANDED INDUSTRIAL PARK · TAY NINH · VIETNAM



CLEAN PRODUCTION AREA



MIXING AND PRODUCTION



FILLING AND PACKING

THAN VUONG CO., LTD ZEUS COMPANY LIMITED

HEAD OFFICE	No. 91, Street 55, Tan Tao Ward, Ho Chi Minh City, Vietnam
FACTORY	Lot Q23, Road No. 11, Hai Son Expanded Industrial Park (Phase 3+4), Duc Hoa Commune, Tay Ninh Province, Vietnam
TEL	+84 28 6268 2472
HOTLINE	+84 867 957 568
WHATSAPP	+84 919 849 568
WEB	thanvuong.com



WEBSITE
thanvuong.com/en



WHATSAPP
+84 919 849 568

Product information in this catalogue follows the labels registered in Vietnam (TCCS standard and registration number on each data sheet). Registration status and permitted claims differ between countries; importers must confirm local requirements before sale. Specifications may change; always follow the product label.